

SAFETY DATA SHEET

Date of Issue: May 1, 2015

Section 1. Identification

Product Name: DyLight® 488 Lens Culinaris Agglutinin (LCA, LcH)

Catalog No.: DL-1174

Manufacturer/Supplier USA:

Vector Laboratories, Inc.

30 Ingold Road

Burlingame, CA 94010

United States

Tel: (650) 697-3600 Fax: (650) 697-0339

Email: vector@vectorlabs.com

EU Supplier United Kingdom:

Vector Laboratories Ltd.

3 Accent Park

Bakewell Road, Orton Southgate

Peterborough, PE2 6XS, United Kingdom Tel: (01733) 237999 Fax: (01733) 237119

Email: vector@vectorlabs.co.uk

Section 2. Hazards Identification

GHS Classification:

This product has been classified as non-hazardous based on the physical and/or chemical nature and/or concentration of ingredients.

GHS Label: Non-hazardous substance or mixture.

Hazards not otherwise classified (HNOC) or not covered by GHS: None

Section 3. Composition/Information on Ingredients

 Component:
 CAS#:
 EC#:
 % by weight:

 Sodium azide
 26628-22-8
 247-852-1
 <0.1%</td>

No ingredients are hazardous according to OHSA criteria.

Section 4. First Aid Measures

Inhalation: Remove to fresh air.

Skin contact: Wash thoroughly with soap and water.

Eye contact: Flush eyes with water as a precaution.

Ingestion: Do not induce vomiting. Wash out mouth with water.

Section 5. Fire Fighting Measures

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment: Use respirator for fire fighting if necessary.

VECTOR

Section 6. Accidental Release Measures

Wear protective clothing to prevent contact with eyes and skin. Ensure adequate ventilation. Collect on absorbent material and dispose of according to federal, state and local environmental regulations.

Section 7. Handling and Storage

Handling: Use only with adequate ventilation. Wear eye protection and compatible chemical-resistant gloves.

Handle in accordance with good industrial hygiene and safety practice.

Storage: Keep container tightly closed and store according to product label.

Section 8. Exposure Controls/Personal Protection

Exposure limits: Contains no substances with occupational exposure limit values.

Engineering controls: Use enclosures, local exhaust ventilation or other engineering controls to keep airborne

levels below recommended exposure limits.

Personal protection:

Hand protection - Compatible chemical-resistant gloves.

Eye protection - Chemical safety goggles.

Skin protection - Lab coat.

Section 9. Physical and Chemical Properties

Appearance: Liquid Flash point: Not determined

Odor: None Autoflammability: Not determined

pH: Not determined Vapor pressure: Not determined

Boiling point: Not determined Relative density: Not determined

Melting point: Not determined **Solubility:** Not applicable

Section 10. Stability and Reactivity

Chemical stability: Stable under recommended storage conditions.

Conditions to avoid: Acidic pH

Materials to avoid: Strong oxidizers. May react with lead and copper plumbing to form highly

explosive metal azides.

Hazardous reactions/decomposition products: Carbon monoxide, carbon dioxide, nitrogen oxides.

(continued on next page)

DyLight® 488 *Lens Culinaris* Agglutinin (LCA, LcH) DL-1174

Section 11. Toxicological Information

Acute toxicity:

Product does not present an acute toxicity hazard based on known or supplied information

Chronic toxicity:

None known.

Section 12. Ecological Information

No data available.

Section 13. Disposal Considerations

Observe all federal, state and local environmental regulations.

Section 14. Transport Information

DOT (US): Not dangerous goods.

RID/ADR: Not regulated.

IMDG: Not dangerous goods.

IATA: Not dangerous goods.

Section 15. Regulatory Information

SARA:

SARA 302 - No chemicals in this material are subject to the reporting requirements.

SARA 313 - No chemicals in this material with known CAS #s are subject to the reporting requirements.

SARA 311/312 Hazards - No SARA Hazards.

California Prop. 65 components:

This product does not contain any chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

Section 16. Other Information

The information contained in this Safety Data Sheet is believed to be accurate but it is the responsibility of the user to determine the applicability of these data to the formulation of necessary safety precautions. Vector Laboratories, Inc. shall not be held responsible for any damage resulting from the use of the above product or the information contained in this Safety Data Sheet.

Date of Issue or Revision: May 1, 2015 Section Revised: N/A